

**ADVANCED  
WATER  
TREATMENT  
TECHNOLOGY**



**VODAA  
SOLUTIONS**

Water and Energy Solutions for  
Commercial, Industrial, Residential




# COMMERCIAL & INDUSTRIAL APPLICATIONS

Vodaa Solutions are environmentally responsible electromagnetic water treatment technologies which are a superior alternative to traditional treatment systems.

Using a 120V outlet, the patented technology creates a proprietary magnetic field to treat the water in two easily deployed solutions; a clamp-on unit, which can be placed around existing PVC or copper piping, or a submersible unit which can be placed in the basin of a surge tank, or cooling tower.



Before



After




Equipment: (7) 420 Ton Chillers  
 Vodaa Unit: Submersible Drop-In  
 Location: High-Rise, Phoenix, AZ  
 Property: 512,000 square feet

## EARLY ADOPTERS




# APPLICATIONS

- COOLING TOWERS
- POOLS
- WATER MAINS
- WATER TOWERS



Dramatic COC increases



450T Trane Condensor WV  
Has not been brushed since 2015.



Water Feature Treatment Solutions

## ADVANTAGES & BENEFITS

- REDUCES WATER CONSUMPTION
- LOWERS ENERGY CONSUMPTION
- PREVENTS AND REMOVES SCALE
- CONTROLS BACTERIA AND BIOFILM
- NON-CORROSIVE ENVIRONMENT
- LOWERS CHEMICAL COSTS




VODAA DROP-IN  
TECHNOLOGY

VODAA CLAMP-ON  
TECHNOLOGY







### Drop In Unit




- Drop In Unit
- Weight 12 lbs
- A - 38"
- B - 7"
- Requires an 8" depth of water
- Input 110VAC
- Output 12V / 0-10A

- Features:
- Thermal conductive polyurethane body
- UL 94V-0 Fire Rating
- RoHS compliant
- Universal AC Input
- Protections: Short circuit / Overload / Over voltage
- Cooling by free air conduction
- LED indicator for power on
- 100% Full load burn in
- 220° F long life electrolytic capacitors
- Withstand 300 VAC surge input for 5 seconds
- High operating temperature of up to 150° F
- High efficiency, long life and high reliability





c  us    **CBCE**

### Clamp On Unit 2" & 3" Applications



<ul style="list-style-type: none"> <li>■ 2" Unit</li> <li>• Weight 12 lbs</li> <li>• A - 5"</li> <li>• B - 5.625"</li> <li>• C - 18"</li> <li>• Fits Up To 2" Copper</li> <li>• Input 110VAC</li> <li>• Output 5V - 12V / 0-10A</li> </ul>	<ul style="list-style-type: none"> <li>■ 3" Unit</li> <li>• Weight 22 lbs</li> <li>• A - 6.5"</li> <li>• B - 8"</li> <li>• C - 26"</li> <li>• Fits Up To 3" Copper</li> <li>• Input 110VAC</li> <li>• Output 5V - 12V / 0-10A</li> </ul>
--	--

- Features:
- Thermal conductive polyurethane body
- UL 94V-0 Fire Rating
- RoHS compliant
- Aluminum cover
- Universal AC Input
- Protections: Short circuit / Overload / Over voltage
- Cooling by free air conduction
- LED indicator for power on
- 100% Full load burn in
- 220° F long life electrolytic capacitors
- Withstand 300 VAC surge input for 5 seconds
- High operating temperature of up to 150° F
- High efficiency, long life and high reliability

c  us    **CBCE**

# Voda Solutions

2829 Townsgate Road, Suite 100

Westlake Village, CA 91361

800-309-0942